




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			

NOTE:
1.MATERIAL:
TRAY: PET
CARTON: CORRUGATED PAPER
BAG : PE
2.DIMENSION:
TRAY: L=385mm, W=255mm
CARTON: L=410mm, W=280mm, H=145mm
3.QUANTITY:
50 PCS/TRAY; 21 TRAY/CARTON (TOP TRAY IS EMPTY)
4.WEIGHT
(SEE TABLE)


TRAY

BAG

CARTON


TAPE

PACKAGE
BELT




5.75 Kg	3.6	50	21	1000 PCS
G/W (kg)	N/W (kg)	PCS/TRAY	TRAYS /CARTON	QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE TE Connectivity			
		CHK				
DIMENSIONS: MM		APVD	NAME			
		PRODUCT SPEC	SECURE DIGITAL CARD CONNECTOR H=2.85, SMT TYPE			
		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
		WEIGHT	A3 00779 C=2041353			
		CUSTOMER DRAWING SCALE SHEET 2 OF 3 REV A3				
MATERIAL		FINISH				
TOLERANCES UNLESS OTHERWISE SPECIFIED:						
0 PLC ±						
1 PLC ±						
2 PLC ±						
3 PLC ±						
4 PLC ±						
ANGLES ±						



NOTE:
1. MATERIAL :
CARTON : CORRUGATED FIBERBOARD
COVER : PET
CARRIR TAPE : PS
REEL : PS
BAG : PE
2. PEELING STRENGTH : 0.1~1.3N(10~130 GRAMS)
3. PEELING SPEED: 300mm/MINUTES.
4. EACH BAG SHALL BE INCLUDED DESICCANT.



8.72	6.57	450	7	3150
G/W (Kg)	N/W (kg)	PCS/ TAPE	REELS/ CARTON	QUANTITY (PCS)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE TE Connectivity	
		CHK		
DIMENSIONS: MM		APVD	NAME	
		PRODUCT SPEC	SECURE DIGITAL CARD CONNECTOR H=2.85, SMT TYPE	
		APPLICATION SPEC		
MATERIAL		WEIGHT	SIZE	CAGE CODE
			A3	00779
FINISH		CUSTOMER DRAWING	DRAWING NO C=2041353	
			RESTRICTED TO	
			SCALE	
			SHEET 3 OF 3	
			REV A3	