2021D0309-0 - ACTIVE

Raychem | Raychem CANbus Cable

TE Internal #: 931901-000 Raychem CANbus Cable, High Speed Digital & Data Cable, CANbus, 120 Ω, 21AWG Wire Size, Operating Temperature Range -55 – 125 °C [-131 – 257 °F]

View on TE.com >

Wire & Cable > High Speed Digital & Data Cable



High Speed Digital & Data Cable Type: CANbus

Impedance: 120Ω

Wire Size: 21 AWG

Operating Temperature Range: -55 – 125 °C [-131 – 257 °F]

Features

Product Type Features

High Speed Digital & Data Cable Type

CANbus

Electrical Characteristics

Impedance

TE connectivity

120 Ω

Dimensions

Wire Size

21 AWG

Usage Conditions

Operating Temperature Range

-55 – 125 °C[-131 – 257 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2019 (197) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

C For support call+1 800 522 6752

2021D0309-0

Raychem CANbus Cable, High Speed Digital & Data Cable, CANbus, 120 Ω, 21AWG Wire Size, Operating Temperature Range -55 – 125 °C [-131 – 257 °F]



Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | Raychem CANbus Cable



Customers Also Bought



2021D0309-0

Raychem CANbus Cable, High Speed Digital & Data Cable, CANbus, 120 $\Omega,$ 21AWG Wire Size, Operating Temperature Range -55 – 125 °C [-131 – 257 °F]







Documents

Product Drawings 2021D0309-0

English

Datasheets & Catalog Pages Wire and Cable Overview

English

Product Specifications

Product Specification

English