


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	04/05/02	D.N.



PROPRIETARY INFORMATION
NOT TO BE RELEASED
WITHOUT WRITTEN PERMISSION
FROM AN AUTHORIZED
REPRESENTATIVE OF
APPLIED ENGINEERING PRODUCTS

NOTES:


MATERIALS:

1. BODY = STAINLESS STEEL PER ASTM A582, ALLOY 303, CONDITION "A"
2. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
3. CONTACT = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.

FINISHES:

1. BODY = PASSIVATE PER QQ-P-35, TYPE VI.
2. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.

ROCKWELL P/N: 357-0159-070

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON	DWN:	DATE	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513
	D.N.	04/01/02	
DECIMAL	ANGLE	CHKD:	SSMA STRAIGHT JACK 4 HOLE FLANGE MOUNT SOLID POST
		A.D.M.	
REFERENCE:		APVD:	DATE
ORIGINATOR D N DATE: 04/01/02		D.J.C.	04/05/02
MATERIALS & FINISHES:		SIZE	FSCM NO
SEE NOTES		A	19505
		DWG NO	REV
		9766-9113-004	-
		SCALE 5:1	SHEET 1 OF 1

9766-9113-004