
LINEARlight FLEX

– Accessories



Product benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Low profile (CONNECTsystem)
- Extremely vibration-proof (CONNECTsystem)
- Permissible operating temperature perfectly matched to module (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)


Technical data

Dimensions & weight


Product description	Height
LF-LTS -2100	9.2 mm
LF-LTS -MB	4.4 mm
LF-LTS -COVER-CLEAR	5.3 mm
LF-LTS -COVER-SHORTPITCH	10.5 mm
LF-LTS -COVER-DIFF	24.0 mm
LF-LTS -ENDCAP	8.0 mm
LF -2PIN FLEX SC	4.2 mm
LF -2PIN 1M FLEX SC	4.2 mm
LF -CONN FLEX SC	4.2 mm
LF -CONN FLEX IP SC	8.2 mm
LF -WIRE-30 FLEX SC	
LF -WIRE-150 FLEX SC	
LF -2PIN FLEX	5.5 mm
LF -CONN-10 FLEX	5.3 mm
LF -CONN-150 FLEX	5.3 mm
LF -2TERM FLEX	5.5 mm

Product family datasheet

Product line drawing




LF-LTS -2100




LF-LTS -COVER-CLEAR




LF-LTS - COVER-SHORTPITCH




LF-LTS - COVER-DIFF




LF-LTS -ENDCAP




LF -2PIN FLEX SC




LF -CONN FLEX SC




LF -CONN FLEX IP SC




LF -WIRE-30 FLEX SC




LF -WIRE-150 FLEX SC




LF -2PIN FLEX



LF -CONN-10 FLEX



LF -CONN-150 FLEX



LF -2TERM FLEX

Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Product family datasheet

Sales and Technical Support www.osram.com

Country specific information

Product description	Product code	METEL-Code	SEG number	STK number	UK Org
LF-LTS-2100 SLIM TRACK	4008321978981	-	7500257	4107786	-
LF-LTS-MB MOUNTING BRACKET	4008321979025	-	7500261	4107792	-
LF-LTS-COVER-CLEAR	4008321790187	-	7500259	4107794	-
LF-LTS-COVER-SHORTPITCH	4008321790200	-	7500260	4107789	-
LF-LTS-COVER-DIFFUSE	4008321979001	-	7500258	4107788	-
LF-LTS-ENDCAP	4008321979049	-	7500262	4107791	-
LF-2PIN Flex SC	4008321832436	-	7500544	4030052	-
LF-CONN Flex SC	4008321832467	-	7500546	4030219	-
LF-BOOT Flex IP SC	4008321841926	-	7500554	4030216	-
LF-WIRE-30 FLEX SC	4008321875587	-	7500547	4030220	-
LF-WIRE-150 FLEX SC	4008321875563	-	7500548	4030222	-
LF-2PIN FLEX	4008321955326	OSRLF2PINF	7552451	-	-
LF-CONN-10 FLEX	4008321955333	OSRLFCONN10F	7552452	4030053	-
LF-CONN-150 FLEX	4008321955340	OSRLFCONN150F	7552453	4030054	-
LF-2TERM FLEX	4008321955357	OSRLF2TERM	7552454	4030055	-

Download Data

File	
	Product Family Datasheet LINEARLIGHT FLEX SLIM TRACK SYSTEM - LF-LTS
	Product Datasheet CONNECTsystem for monochrome 8 mm wide flex modules LF-xx Flex
	Product Datasheet CONNECTsystem for LINEARlight Colormix Flex 8 mm LF4x-Flex (EN)

Logistical Data

Product family datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321978981	LF-LTS -2100	Shipping carton box 40	2105 mm x 60 mm x 100 mm	12.63 dm ³	9530.00 g
4008321979025	LF-LTS -MB	Shipping carton box 280	195 mm x 100 mm x 150 mm	2.93 dm ³	634.00 g
4008321790187	LF-LTS -COVER-CLEAR	Shipping carton box 40	2110 mm x 105 mm x 40 mm	8.86 dm ³	6546.00 g
4008321790200	LF-LTS -COVER-SHORTPITCH	Shipping carton box 40	2110 mm x 105 mm x 60 mm	13.29 dm ³	6634.00 g
4008321979001	LF-LTS -COVER-DIFF	Shipping carton box 40	2110 mm x 160 mm x 80 mm	27.01 dm ³	9824.00 g
4008321979049	LF-LTS -ENDCAP	Shipping carton box 160	225 mm x 115 mm x 185 mm	4.79 dm ³	587.00 g
4008321832436	LF -2PIN FLEX SC	Shipping carton box 250	277 mm x 180 mm x 176 mm	8.78 dm ³	1604.00 g
4052899087743	LF -2PIN 1M FLEX SC	Shipping carton box 100	277 mm x 180 mm x 176 mm	8.78 dm ³	1677.00 g
4008321832467	LF -CONN FLEX SC	Shipping carton box 250	150 mm x 104 mm x 38 mm	0.59 dm ³	2285.00 g
4008321841926	LF -CONN FLEX IP SC	Shipping carton box 250	260 mm x 174 mm x 83 mm	3.75 dm ³	1493.00 g
4008321875587	LF -WIRE-30 FLEX SC	Shipping carton box 10000	320 mm x 320 mm x 200 mm	20.48 dm ³	8370.00 g
4008321875563	LF -WIRE-150 FLEX SC	Shipping carton box 5000	320 mm x 320 mm x 200 mm	20.48 dm ³	4620.00 g
4008321955326	LF -2PIN FLEX	Shipping carton box 100	237 mm x 62 mm x 166 mm	2.44 dm ³	610.00 g
4008321955333	LF -CONN-10 FLEX	Shipping carton box 200	237 mm x 62 mm x 166 mm	2.44 dm ³	2329.00 g
4008321955340	LF -CONN-150 FLEX	Shipping carton box 100	211 mm x 40 mm x 147 mm	1.24 dm ³	194.75 g
4008321955357	LF -2TERM FLEX	Shipping carton box 200	237 mm x 62 mm x 166 mm	2.44 dm ³	313.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.