




**MARKETING SALES DRAWING**  
**DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING**  
**DIMENSIONS IN METRIC - [ ]**

Electrical Testing  
per Tusonix standard  
test plans and Mil-Std-202  
Test Methods.



**NOTES:**

1. PLATE:  $.028 \pm .002$  [0.71 ± 0.05], BRASS UNS-C21000/C27000, MATTE TIN PLATED.  
LEAD:  $.025 \pm .002$  [0.63 ± 0.05] DIA, PHOSPHOR BRONZE, GOLD PLATED.
2. TUSONIX CATALOG CODE DESCRIPTION: 7922-1212-VA REFERENCE.
3. MARKING: TUSONIX PRODUCTION PART NO. AND (4) DIGIT DATE CODE (YYWW).

5000/ 10,000	100 VDC	10 G Ω	250	5 A	7	14	27	41	53	66	70	70
CAP. (pF)	125° WORKING VOLTAGE	I.R. MIN. @ 100 (VDC.)	DWV (VDC)	CURRENT V.D.C.	5 MHz	10 MHz	20 MHz	50 MHz	100 MHz	200 MHz	500 MHz	1 GHz
TYPICAL NO LOAD INSERTION LOSS (dB) AT 25°C PER MIL-STD-220												

**X-2015 Rev-0**

<b>REVISION RECORD</b>	Original Release	0
	C.O.	
	WAS SK 7446-084. SM 02-19-03	
	<b>20030217-1-03</b>	

--TOLERANCES-- Unless Otherwise Specified	
DECIMAL ± .010 [0.25]	
ANGLES ± 5°	
<b>TUSONIX</b> TUCSON, ARIZONA	

Title <b>24 POSITION FILTER ASSEMBLY</b>	
Drawn S.M. 02-12-03	Scale 1.5 X
Approved T.C. 02-12-03	
<b>A</b>	<b>7924-001</b>