81044/12-16-2 - ACTIVE

Raychem

TE Internal #: 282222-003 Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Red Wire Color, 16AWG Wire Size, Operating Temperature Range -65 – 150 ° C

View on TE.com >

Wire & Cable > Hook Up Wire



Cable Type: MIL-DTL-81044 Voltage Rating: 600 V Wire Color: Red Insulation Material: Modified Radiation Cross-linked PVDF Conductor Material: Tin-Coated Copper

Features

Product Type Features

| Cable Style | Primary |
|----------------------------|-------------------------------------------------|
| Product Type | Cable |
| Product Classification | Cable - High Performance - Spec 44, 55 & RCW |
| Cable Type | MIL-DTL-81044 |
| Configuration Features | |
| Number of Conductors | 1 |
| Number of Strands | 19 |
| Electrical Characteristics | |
| Voltage Rating | 600 V |
| Body Features | |
| Wire Color | Red |
| Insulation Material | Modified Radiation Cross-linked PVDF |
| Conductor Material | Tin-Coated Copper |
| Dimensions | |
| Overall Outside Diameter | 1.83 mm[.072 in] |
| Wire Diameter | 1.83 mm[.072 in] |
| | |



81044/12-16-2

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Red Wire Color, 16AWG Wire Size, Operating Temperature Range -65 – 150 °C



| Conductor Diameter | 1.42 mm[.056 in] |
|--------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Strand Size | 29 AWG |
| Wire Size | 16 AWG |
| Usage Conditions | |
| Operating Temperature Range | -65 – 150 °C |
| Other | |
| Wire Source | United States |
| Product Compliance | |
| Product Compliance For compliance documentation, visit the product page on TE.com> | Concellionst |
| For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | Compliant |
| For compliance documentation, visit the product page on TE.com> | Compliant Compliant |
| For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | |
| For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC | Compliant |

requirements

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


81044/12-16-2

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Red Wire Color, 16AWG Wire Size, Operating Temperature Range -65 – 150 °C



| TE Model / Part # 650076-000 D-436-38 |
|------------------------------------------|

Customers Also Bought



| 44AM1121-22-9/96-9CS2275 | TXR40AB00-2216AI | RECP ASSY |
|----------------------------------------------|----------------------------------------------|-----------|
| | | |
| TE Model / Part #285188-000 81044/12-12-2 | TE Model / Part #282220-000 81044/12-16-0 | |

Documents

Product Drawings 81044/12-16-2

English

Datasheets & Catalog Pages 1654025_Sec9_SPEC44

English

Raychem Wire and Cable Quick Reference Guide

English

81044/12-16-2

Hook Up Wire, MIL-DTL-81044, 600V Voltage Rating, Red Wire Color, 16AWG Wire Size, Operating Temperature Range -65 – 150 °C



Product Specifications Product Specification

English