



Mini-UHF Series

The MINI-UHF Series are compact, lightweight coaxial connectors used in applications where miniaturization and cost economy are critical factors. Typical applications are cellular phone and low cost LAN.

Electrical Specifications:

Frequency Range:

0-2.0 GHz

Voltage Rating:

AC 335V RMS

Withstanding Voltage:

AC 1000V one minute

Insulation Resistance:

5000 M Ω min at 500VDC

Impedance:

50 Ω nominal

VSWR:

1.25 max. 0 - 2.2 GHz



E191630

**Consult Factory*

Methode offers additional products and options, not illustrated in the catalog. Please contact the factory if you require additional assistance to resolve your design needs.



METHODE ELECTRONICS, INC.

North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777

Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html




Mini-UHF Series

MMU01


RG58/U RG59/U RG6/U

MINI UHF MALE CRIMP TYPE




MMU01S

MINI UHF MALE PUSH ON CRIMP




MMU02

MINI UHF MALE CRIMP TYPE




MMU03

MINI UHF FEMALE CRIMP TYPE




MMU04

MINI UHF FEMALE BULKHEAD




MMU05

MINI UHF DOUBLE MALE




MMU06

MINI UHF DOUBLE FEMALE




MMU07

MINI UHF MALE TO BNC FEMALE




MMU08

MINI UHF MALE TO N FEMALE



MMU09

MINI UHF MALE TO TNC FEMALE



North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777


Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html



Mini-UHF Series


MMU10

MINI UHF MALE TO UHF FEMALE




MMU16

MINI UHF RIGHT ANGLE
MALE TO BNC FEMALE




MMU11

MINI UHF FEMALE TO BNC MALE




MMU17

MINI UHF MALE
TO DOUBLE FEMALE*




MMU12

MINI UHF FEMALE TO N MALE*




MMU18

MINI UHF TRIPLE FEMALE*




MMU14

MINI UHF FEMALE TO UHF MALE*




MMU20

MINI UHF MALE TWIST ON*




MMU15

MINI UHF RIGHT ANGLE
MALE TO FEMALE



MMU21

MINI UHF FEMALE TO TNC FEMALE*



North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777

Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html



RF/Microwave/Coax Connectors



F SERIES



TNC SERIES



N SERIES



MINI-UHF SERIES



UHF SERIES



SMA SERIES



RCA SERIES



SMB SERIES



PAL SERIES




MCX SERIES



FME SERIES



MMCX SERIES



BNC SERIES

PART NUMBER LEGEND

MX(X) - XXX - X - XX - XX

IMPEDANCE

50 = 50Ω
75 = 75Ω
95 = 95Ω

CABLE GROUP / MOUNTING STYLE

00 = PCB Mount
01 = 55U/58/58A/58C/140U/141/141A/142U/223U/303
02 = 58 Teflon/58 Thinnet/Belden® 9907
03 = 59/59A/59B/62/62AU/62B/62C/210
04 = 59 Teflon
05 = 174U/188A/316U
06 = 179U/187U
07 = 8/8A/213/214/11/11A
08 = 6/6A/143/212
09 = Belden® 8227/89207
10 = .141 Semi-Rigid
11 = .085/.086 Semi-Rigid
12 = Bulkhead Mount
13 = Chassis Mount
14 = Panel Mount

INSULATOR TYPE

T = Teflon
D = Delrin
PP = Polypropylene

TYPE

001 through 999

SERIES

B = BNC
T = TNC
MU = MINI-UHF
TN = TWINAX
SA = SMA
SB = SMB
MC = MCX
MX = MMCX
F = F
N = N
U = UHF
R = RCA
MR = MINI-RCA
FM = FME
P = PAL TV
SC = SMC
7 = DIN 7/16



North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777

Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html