

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0351510314](#)  
**Status:** **Active**  
**Overview:** [VersaBlade Wire-to-Wire Connector System](#)  
**Description:** [VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Blue](#)

**Documents:**

|  |  |
|--|--|
| <a href="#">3D Model</a>   | <a href="#">Application Specification 351500000ASKOR-000 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                      | <a href="#">Packaging Specification PK-35151-004-001 (PDF)</a>     |
| <a href="#">3D Model (PDF)</a>                                     | <a href="#">Datasheet (PDF)</a>                                    |
| <a href="#">Product Specification PS-35150-001-001 (PDF)</a>       | <a href="#">Brochure (PDF)</a>                                     |
| <a href="#">Product Specification PS-35150-003-001 (PDF)</a>       | <a href="#">RoHS Certificate of Compliance (PDF)</a>               |
| <a href="#">Application Specification 351500000ASENG-000 (PDF)</a> |  |

**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR19980 |
| UL  | E29179  |

**General**

|                |  |
|----------------|--|
| Product Family | Crimp Housings   |
| Series         | <a href="#">35151</a>                                    |
| Application    | Power, Wire-to-Wire                                      |
| Overview       | <a href="#">VersaBlade Wire-to-Wire Connector System</a> |
| Product Name   | VersaBlade   |
| Taxonomy       | Connector Housings                                       |
| UPC            | 800754834711   |

**Physical**

|                               |                |
|-------------------------------|----------------|
| Circuits (maximum)            | 3              |
| Color - Resin                 | Blue           |
| Flammability                  | 94V-0          |
| Gender                        | Plug           |
| Glow-Wire Capable             | No             |
| Keying to Mating Part         | None           |
| Lock to Mating Part           | Yes            |
| Material - Resin              | PBT            |
| Net Weight                    | 3.060/g        |
| Number of Rows                | 1              |
| Packaging Type                | Bag            |
| Panel Mount                   | No             |
| Pitch - Mating Interface      | 7.30mm         |
| Pitch - Termination Interface | 7.30mm         |
| Polarized to Mating Part      | Yes            |
| Stackable                     | No             |
| Temperature Range - Operating | -40° to +120°C |

**Solder Process Data**

|                             |     |
|-----------------------------|-----|
| Lead-freeProcess Capability | N/A |
|-----------------------------|-----|

**Material Info**

**Reference - Drawing Numbers**

|                           |  |
|---------------------------|--|
| Application Specification | 351500000AS_ENG-000, 351500000AS_KOR-000 |
| Packaging Specification   | PK-35151-004-001                         |
| Product Specification     | PS-35150-001-001, PS-35150-003-001       |
| Sales Drawing             | SD-35151-031-001, SD-35151-031X-001      |



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained per -  
D(2022)9120-DC (17  
Jan 2023)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[35151](#) Series

**Mates With**

VersaBlade Receptacle Housing [35150](#)  
<br>VersaBlade Multi-Module 2-3-4  
Receptacle Housing [35524](#) , [2026500909](#)

**Use With**

VersaBlade Crimp Terminals [35746](#) (ckt 1),  
[35745](#) (ckt 2), [35748](#) (ckt 3) <br>VersaBlade  
TPA [351500390](#) , [351500392](#) , [351500393](#) ,  
[351500394](#)

This document was generated on 03/24/2023

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**