



**MATE-N-LOK | 0.140 MATE-N-LOK**

TE Internal #: 925661-2

0.140 MATE-N-LOK, Power Contacts, Contact, Operating Voltage 250 VAC, Pre-Tin, 20 – 14AWG Wire Size, .5 – 2mm<sup>2</sup> Wire Size, Wire-to-Wire, Wire & Cable

[View on TE.com >](#)

Connectors > Power Connectors > Power Contacts



Power Contact Type: **Contact**

Operating Voltage: **250 VAC**

Contact Mating Area Plating Material: **Pre-Tin**

Wire Size: **.5 – 2 mm<sup>2</sup>**

**Features**

**Product Type Features**

Power Contact Type	Contact
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

**Electrical Characteristics**

Operating Voltage	250 VAC
-------------------	---------

**Contact Features**

Contact Mating Area Plating Material	Pre-Tin
Contact Current Rating (Max)	17 A
Contact Type	Socket
Contact Retention Within Housing	With
Mating Pin Diameter	3.56 mm[.14 in]
Contact Base Material	Phosphor Bronze
Wire Contact Termination Area Plating Material Thickness	.4 – 3.5 μm[15.74 – 137.79 μin]
Wire Contact Termination Area Plating Material	Pre-Tin
Wire Contact Termination Area Plating Material Finish	Bright



Contact Orientation	Straight
---------------------	----------

### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

### Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
---------------------------------------	---------------

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Wire Insulation Support	Without
-------------------------	---------

### Dimensions

Wire Size	.5 – 2 mm <sup>2</sup>
-----------	------------------------

Accepts Wire Insulation Diameter Range	2.5 – 4.5 mm [.098 – .177 in]
--	-------------------------------

### Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Power
---------------------	-------

### Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

### Packaging Features

Packaging Method	Carton
------------------	--------

Packaging Quantity	900
--------------------	-----

### Other

Wire/Cable Type	Discrete Wire
-----------------	---------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
-----------------	--

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Model / Part # 1-480510-0  
04P .140 MNL PLUG NAT



TE Model / Part # 1-480585-0  
09P .140 MNL PLUG NAT



TE Model / Part # 1-350346-0  
03P .140 MNL PLUG P/M NAT



TE Model / Part # 1-350344-0  
02P .140 MNL PLUG NAT



TE Model / Part # 1901963-1  
S.D.E. SAHT ASSEMBLY



TE Model / Part # 539730-2  
DIE 3,5 MNL



TE Model / Part # 539764-1  
EXTRACTION TOOL



TE Model / Part # 880124  
9 CIR PLUG 140DIA PANEL MT NAT



TE Model / Part # 1-480672-0  
09P .140 MNL PLUG PM NAT



TE Model / Part # 925451-1  
M-N-L SOCKET HSG



TE Model / Part # 1-480672-4  
09P .140 MNL PLUG YEL



TE Model / Part # 1-480672-9  
09P .140 MNL PLUG PM BLK

Was called: SDE PEW 12  
Now renamed to: SDE SA (no other physical changes)

TE Model / Part # 1752938-1  
PEW 12 TOOL(3-5MM MATE-N-LOK)

TE Model / Part # 1752938-2  
SDE DIE SET 3.5 MM MNL

TE Model / Part # 794699-1  
02P .140 MNL PLUG BLK HT

Also in the Series | 0.140 MATE-N-LOK

Connector Contacts(5)

Insertion & Extraction Tools(1)

Power Contacts(9)

Rectangular Power Connectors(1)

Customers Also Bought

TE Model / Part #925660-1  
.140 DIA PIN

TE Model / Part #1-350346-0  
03P .140 MNL PLUG P/M NAT

TE Model / Part #1-350344-0  
02P .140 MNL PLUG NAT

TE Model / Part #1-350347-0  
03P .140 MNL CAP PM NAT

TE Model / Part #5-160447-2  
FF 250 REC 1.0-2.5MM2 TPPB LP

TE Model / Part #925660-2  
140 DIA PIN

TE Model / Part #6-160449-2  
FF 250 REC 1.0-2.5MM2 TPPB LP

TE Model / Part #539764-1  
EXTRACTION TOOL

TE Model / Part #182490-2  
FF 375 REC 4-6MM2 TPBR LP

TE Model / Part #925662-2  
.140 DIA PIN



## Documents

### Product Drawings

[.140 DIA SOCKET](#)

English

---

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_925661-2\\_Y\\_c-925661-2-y.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_925661-2\\_Y\\_c-925661-2-y.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_925661-2\\_Y\\_c-925661-2-y.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Product Specifications

[Product Specification](#)

English