




SMA Panel Jack Receptacles - 2-hole Trimline Flange



SMA PANEL JACK RECEPTACLES - 2-HOLE TRIMLINE FLANGE

Description	Terminal Type	Plt.	Ins.	a	d	Construction Notes		Amphenol Number	Fig.
Panel Jack Receptacle	Solder Cup	P10	D1	.025(0.6)	—	Captive Contact	Gold Plated	901-9244-2	1
Panel Jack Receptacle	Blunt Post	P10	D1	.590(15.0)	.117(3.0)	Captive Contact	Gold Plated	901-9000-CC	2
		P13	D1				Passivated	901-9000-CCSF	2
Panel Jack Receptacle	Blunt Post	P13	D1	.334(8.48)	.103(2.6)	Captive Contact	Passivated	901-9185-CCSF	2

SMA Panel Jack Receptacles - 2-hole Trimline Flange



SMA PANEL RECEPTACLES - 2-HOLE TRIMLINE FLANGE

Description	Terminal Type	Plt.	Ins.	Construction Notes		Amphenol Number	Fig.
Panel Jack Receptacle	Slot .025" (0.6mm) wide	P9	D1	Contact Shipped Unassembled/ .025" (0.6 mm) Exposed TFE	Gold Plated	901-9244-1‡	1
		P13	D1		Passivated	901-9244-1SF‡	1
Panel Jack Receptacle	Socket	P13	D1	Flush TFE	Passivated Body	901-9814	2
Panel Jack Receptacle	Socket	P13	D1	.085 Exposed TFE	Passivated Body	901-9770	2

‡ Contact shipped unassembled. User has option for slot orientation