




5417549-3 Product Details

[Share](#) [Print](#) [Email](#)


5417549-3

Fiber Optic Attenuators

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Attenuator - Fiber Optic
- Fiber Optic Attenuator Type = Dual Window
- Attenuation = 3.0 dB
- Attenuator Style = Build Out
- Operating Wavelength = 1310 nm, 1550 nm

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

TE Internal Number: 5417549-3

Pending Obsolescence

[Contact Product Information Center](#)
[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings: <ul style="list-style-type: none"> ● ATTENUATOR, FOPC BOA ST/UPC DW SM (PDF, English) 	Related Products: <ul style="list-style-type: none"> ● Tooling
Catalog Pages/Data Sheets: <ul style="list-style-type: none"> ● Fiber Optic Catalog - Fiber Optic Products (PDF, English) 	
Product Specifications: <ul style="list-style-type: none"> ● None Available 	
Application Specifications: <ul style="list-style-type: none"> ● Singlemode Fixed Buildout Attenuators (PDF, English) 	
Instruction Sheets: <ul style="list-style-type: none"> ● Installation and Cleaning Procedure for Fiber Optic ... (PDF, English) 	
CAD Files: <ul style="list-style-type: none"> ● None Available 	

[List all Documents](#)

Feedback

Product Features (Please use the Product Drawing for all design activity)

Product Type Features: <ul style="list-style-type: none"> ● Product Type = Attenuator - Fiber Optic ● Fiber Optic Attenuator Type = Dual Window ● Type of Connector = ST/UPC ● Sealed = No 	Configuration Features: <ul style="list-style-type: none"> ● Mode = Singlemode
Electrical Characteristics: <ul style="list-style-type: none"> ● Attenuation (dB) = 3.0 ● Operating Wavelength (nm) = 1310, 1550 ● Attenuation Value = Fixed 	Industry Standards: <ul style="list-style-type: none"> ● RoHS/ELV Compliance = RoHS compliant, ELV compliant ● Lead Free Solder Processes = Not relevant for lead free process ● RoHS/ELV Compliance History = Always was RoHS compliant
Body Features: <ul style="list-style-type: none"> ● Attenuator Style = Build Out ● Reflectance (less than or equal) (dB) = -55 	Packaging Features: <ul style="list-style-type: none"> ● Fiber Packaging Style = Medium Duty
	Other: <ul style="list-style-type: none"> ● Brand = AMP ● Comment = Designed to comply with Telcordia GR-910

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [AODA Accessibility Policy](#)
- [AODA Multi-Year Accessibility](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed



