



## 2-209930-0 Product Details



**2-209930-0**

### Fiber Optic Attenuators

Not reviewed for RoHS Compliance

#### Product Highlights:

- Attenuator - Fiber Optic
- Fiber Optic Attenuator Type = Dual Window
- Attenuation = 20.0 dB
- Attenuator Style = Build Out
- Operating Wavelength = 1310 nm, 1550 nm

[View all Features](#)

#### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

TE Internal Number: 2-209930-0

**Superseded**

[Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

[Contact Product Information Center](#)

### Documentation & Additional Information

<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>CAD Files:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul>	<p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> </ul>
---	---

Feedback

### Product Features (Please use the Product Drawing for all design activity)

<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• Product Type = Attenuator - Fiber Optic</li> <li>• <a href="#">Fiber Optic Attenuator Type</a> = Dual Window</li> <li>• <a href="#">Type of Connector</a> = FC</li> <li>• <a href="#">Sealed</a> = Yes</li> </ul> <p><b>Electrical Characteristics:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Attenuation (dB)</a> = 20.0</li> <li>• <a href="#">Operating Wavelength (nm)</a> = 1310, 1550</li> <li>• <a href="#">Attenuation Value</a> = Fixed</li> </ul> <p><b>Body Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Attenuator Style</a> = Build Out</li> <li>• <a href="#">Reflectance (less than or equal) (dB)</a> = -50</li> </ul>	<p><b>Configuration Features:</b></p> <ul style="list-style-type: none"> <li>• Mode = Singlemode</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">RoHS/ELV Compliance</a> = Not reviewed for ELV/RoHS compliance</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not reviewed for lead free solder process</li> </ul> <p><b>Packaging Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Fiber Packaging Style</a> = None</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• Brand = AMP</li> <li>• Comment = Designed to comply with Telcordia GR-910</li> </ul>
---	--

#### Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [AODA Accessibility Policy](#)
- [AODA Multi-Year Accessibility Plan](#)

#### Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

#### Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

#### Keep Me Informed



