




## 9-5417399-9 Product Details

Share Print Email



9-5417399-9

TE Internal Number: 9-5417399-9

Active

### Fiber Optic Attenuators

Always EU RoHS/ELV Compliant (Statement of Compliance)

#### Product Highlights:

- Attenuator - Fiber Optic
- Fiber Optic Attenuator Type = Broadband Bandpass
- Attenuation = 0.0 dB
- Attenuator Style = Build Out
- Operating Wavelength = 1260 - 1360 nm

[View all Features](#)

### Quick Links

- ▶ Pricing & Availability
- ▶ Search for Tooling
- ▶ Product Feature Selector
- ▶ Contact Us About This Product

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information	
<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>● <a href="#">ATTENUATOR, FOPC BOA ST/UPC BP SM (PDF, English)</a></li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>● None Available</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>● None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>● <a href="#">Singlemode Fixed Buildout Attenuators (PDF, English)</a></li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>● <a href="#">Installation and Cleaning Procedure for Fiber Optic ... (PDF, English)</a></li> </ul> <p><b>CAD Files:</b></p> <ul style="list-style-type: none"> <li>● None Available</li> </ul>	<p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>● Tooling</li> </ul>

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>● Product Type = Attenuator - Fiber Optic</li> <li>● <a href="#">Fiber Optic Attenuator Type</a> = Broadband Bandpass</li> <li>● Type of Connector = ST/UPC</li> <li>● <a href="#">Sealed</a> = No</li> </ul> <p><b>Electrical Characteristics:</b></p> <ul style="list-style-type: none"> <li>● <a href="#">Attenuation (dB)</a> = 0.0</li> <li>● Operating Wavelength (nm) = 1260 - 1360</li> <li>● Attenuation Value = Fixed</li> </ul> <p><b>Body Features:</b></p> <ul style="list-style-type: none"> <li>● <a href="#">Attenuator Style</a> = Build Out</li> <li>● Reflectance (less than or equal) (dB) = -55</li> </ul>	<p><b>Configuration Features:</b></p> <ul style="list-style-type: none"> <li>● Mode = Singlemode</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>● <a href="#">RoHS/ELV Compliance</a> = RoHS compliant, ELV compliant</li> <li>● <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> <li>● RoHS/ELV Compliance History = Always was RoHS compliant</li> </ul> <p><b>Packaging Features:</b></p> <ul style="list-style-type: none"> <li>● Fiber Packaging Style = Medium Duty</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>● Brand = AMP</li> <li>● Comment = Designed to comply with Telcordia GR-910</li> </ul>

### Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [AODA Accessibility Policy](#)
- [AODA Multi-Year Accessibility](#)

### Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

### Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

### Keep Me Informed



Feedback

