

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1721590211](#)  
**Status:** **Active**  
**Overview:** [EdgeMate Wire-to-Edge-Card Power Connector](#)  
**Description:** 3.96mm Pitch EdgeMate Wire-to-Board Edge Card Connector, Female, Nylon 6/6, White, UL94-V2, without Lock, 11 Circuits

**Documents:**

[3D Model](#) [Product Specification PS-172160-0001-001 \(PDF\)](#)  
[3D Model \(PDF\)](#) [Packaging Specification PK-172159-0001-001 \(PDF\)](#)  
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**Agency Certification**

UL E29179

**Application tooling part link**

Application Tooling Part Link 11-03-0016

**General**


Product Family Edge Card Connectors  
 Series [172159](#)  
 Comments See Product Specification for maximum current rating by wire AWG and terminal material.  
 Component Type Edgecard to Wire  
 Data Rate Unrated  
 Edge Card Thickness N/A  
 High Power Bay (30.0A or more) No  
 Orientation Right-Angle  
 Overview [EdgeMate Wire-to-Edge-Card Power Connector](#)  
 Product Name EdgeMate  
 Standard Based General  
 UPC 887191569802

**Physical**

(p)ower-(s)ignal Configuration 11p - 0s  
 Circuit Size Range 1-64 Circuits  
 Circuits (Loaded) 11  
 Circuits (maximum) 11  
 Color - Resin White  
 Durability (mating cycles max) 25  
 Entry Angle 90° Angle  
 Flammability 94V-2  
 Keying to Mating Part Yes  
 Material - Plating Mating N/A  
 Material - Resin Nylon  
 Net Weight 3.760/g  
 PCB Locator No  
 PCB Retention None  
 PCB Thickness - Recommended 1.57mm  
 Packaging Type Bag  
 Panel Mount No  
 Pitch - Mating Interface 3.96mm  
 Polarized to Mating Part Polarizing Ribs  
 Temperature Range - Operating -40° to +105°C, -40° to +80°C  
 Termination Interface: Style Straddle Mount-Edge Card

**Electrical**

Current - Maximum per Contact 7.0A  
 Voltage - Maximum 250V



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)9139-DC (19 Jan 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[172159 Series](#)

**Mates With**

Edge Card PCB

**Use With**

[172160](#)

**Application Tooling | [FAQ](#)**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Extraction Tool for Flat Blade, 3.96mm KK, 2.00mm, 3.96mm EdgeMate, and Ultra-Fit Terminals	<a href="#">11030016</a>

**Solder Process Data**

Lead-free Process Capability

N/A

**Material Info****Reference - Drawing Numbers**

Packaging Specification

PK-172159-0001-001

Product Specification

PS-172160-0001-001

Sales Drawing

SD-172159-0000-000

This document was generated on 02/18/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[172159-0211](#)